

# ISDN FEATURE PHONE

Model: TNS FP 500



## Telephone functions

- 2-line alphanumeric display with digital contrast
- Control
- Display with backlight
- Administration of 6 multiple subscriber number (MSN)
- 14speed dialing keys
- Individual micro-programming of speed dialing
- Keys (phone number, functions, and providers)
- Comfortable use of different network providers
- (max.14providers) by quick call-by-call
- Telephone directory for 100 entries (phone number / charge counter / name)
- Appointment manager for 30 appointments
- On-hook dialing, dialing from the directory
- Direct and indicated dialing (preparation of dialing)
- Extended redialing function with storage of the
- Last 20 phone numbers dialed and of the
- Additional information: time and date of the
- Call, MSN used, call duration and charges
- Fully automatic redialing in case of busy tone
- Hold button for easy call transfer when telephone

## Telenet Systems Pvt. Ltd.

2, Mani Bhuvan, Cama Road, Ghatkopar, Mumbai 400 086, Maharashtra, INDIA

T: +91.22.25138325 / 25158374 F: +91.22.25104911 E: [info@telenetsystems.com](mailto:info@telenetsystems.com) W: [www.telenetsystems.com](http://www.telenetsystems.com)

- Is connected to an ISDN PABX
- Dialing and pick up of calls from any TAP compatible
  
- Windows application (CTI)\*
- 10 ringing tone melodies (each melody with
- 10 different speeds), individual ringing tone for
- Each MSN possible
- Automatic ringing tone volume control (volume)
- Increases if handset is not picked up
- Call list for 20 entries with documentation of date, time and MSN
- Call back list for 6 entries (completion of call to
- Busy subscriber, CCBS)
- Documentation of accepted calls in the call list
- Call filter (certain phone numbers will not be signaled)
- For each MSN, per entry and for the ISDN connection
- Different possibilities to block dialing and
- Operation (dialing, entries, settings, numeral
- Block, phone numbers)
- Direct call, do-not-disturb-function
- Call counter, registration of call duration
- Time control of call forwarding according to time
- And weekday
- Battery back-up in case of power shortage
- Update of operating software via ISDN line

### **ISDN features**

- Calling line identification presentation A to B (CLIP)
- Calling line identification restriction A to B (CLIR)
- Connected line identification presentation B to A
- (COLP)
- Connected line identification restriction B to A
- (COLR)
- Terminal portability (TP)
- Advice of charges (AOCE/AOCD)
- Hold function, two-line operation (switching
- Between lines)
- Call waiting (CW)
- Three-party-conference (3 PTY)

## **Telenet Systems Pvt. Ltd.**

2, Mani Bhuvan, Cama Road, Ghatkopar, Mumbai 400 086, Maharashtra, INDIA

T: +91.22.25138325 / 25158374 F: +91.22.25104911 E: [info@telenetsystems.com](mailto:info@telenetsystems.com) W: [www.telenetsystems.com](http://www.telenetsystems.com)

- Explicit call transfer (ECT)
  - Completion of call to busy subscriber (CCBS)
  - Call forwarding unconditional (CFU)
  - Call forwarding on no reply (CFNR)
  - Sub addressing for outgoing calls (SUB)
  - Malicious call identification (MCID)
- 
- Support of keypad protocol for special
  - Functions of the network provider (KEYPAD)
  - PC software functions
  - Compatible with Windows®98/ME /NT®4.0/2000/XP
  - Programming of features
  - Entry of telephone directory
  - Management and assignment of call data (phone Numbers, charges etc.)
  - Dialing from the directory via integrated dialer
  - Update of operating software, current firmware

## **Telenet Systems Pvt. Ltd.**

2, Mani Bhuvan, Cama Road, Ghatkopar, Mumbai 400 086, Maharashtra, INDIA

T: +91.22.25138325 / 25158374 F: +91.22.25104911 E: [info@telenetsystems.com](mailto:info@telenetsystems.com) W: [www.telenetsystems.com](http://www.telenetsystems.com)